Version: 1

ROOFIEC

Safety Data Sheet

Revision Date: 8/29/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product identifier. 125181

Product name. RoofTec OxiTec

UFI No Information

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use. Professional Cleaning Agent

Uses advised against. Professional Use Only

1.3. Details of the supplier of the safety data sheet

Supplier. Legend Brands

15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands Europe Holdings Ltd 22 Plover Close Interchange Park

Newport Pagnell 9PS, UK +44 (0)1908 611211

1.4. Emergency telephone

number INFOTRAC 1-800-535-5053 (North America)

+1-352-323-3500 (International)

Europe

Austria 443 1 406 43 43

Belgium Poison center (BE): +32 70 245 245

DenmarkPoison Control Hotline (DK): +45 82 12 12 12FinlandPoison Information Centre (FI):+358 9 471 977

France ORFILA (FR): + 01 45 42 59 59

Germany Poison Center Berlin (DE): +49 030 30686 790 |par Poison Center Nord: +49 551 19240

(24h available English / German)

Ireland National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566

lceland +354 543 2222

Italy Poison Center, Milan (IT): +39 02 6610 1029

Luxembourg 112

Netherlands National Poisons Information Center (NL): +31 88 755 8000 (NB: this service is only

available to health professionals)

Norway Poisons Information (NO):+ 47 22 591300

PortugalPoison Information Center (PT): +351 800 250 250SpainPoison Information Service (ES): +34 91 562 04 20SwedenPoisons Information Center (SV):+46 8 33 12 31SwitzerlandPoison Center: Tel 145; +41 44 251 51 51

United Kingdom 111 / 0300 020 0155

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Irritation, category 2 Serious Eye Damage, category 1

2.2. Label elements



Signal Word

Danger

Hazardous ingredients which must be listed on the label

Contains Not Applicable

Possible Hazards

< 1% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

GHS HAZARD STATEMENTS

H318 Causes serious eye damage. H315 Causes skin irritation.

GHS LABEL PRECAUTIONARY STATEMENTS

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician. P362+P364 Take off contaminated clothing and wash it before reuse.

GHS SDS PRECAUTIONARY STATEMENTS

P321 Specific treatment (see ... on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

EMERGENCY OVERVIEW: No Information

SECTION 3: Composition/information on ingredients

3.1. Substances

This product is a mixture. Health hazard information is based on its components.

3.2. Mixtures

| Chemical Name | CAS-No. | EC No. | REACH Reg No. | Wt. % |
|------------------------------|------------|----------------|---------------------------|----------|
| ETHANOL, 2-AMINO- | 141-43-5 | 205-483-3 | No Information | >=1 - <5 |
| Ethoxylated alcohols, C9-C11 | 68439-46-3 | No Information | No Information | >=1 - <3 |
| Isopropyl alcohol | 67-63-0 | 200-661-7 | 01-2119457558-25- xxxx | <1 |

| Chemical Name | Classification (1272/2008/EC) | Specific Conc. Limits, M-factors and ATEs |
|------------------------------|--|--|
| ETHANOL, 2-AMINO- | Acute Tox. 4 Oral (H302) Acute Tox. 3 Dermal (H311) Skin Corr. 1B (H314) Acute Tox. 4 Inhalation (H332) STOT SE 3 RTI (H335) | STOT SE 3; H335: C>=5% ATE oral (mg/kg): 1720 mg/kg Rat ATE dermal (mg/kg): 1000 mg/kg Rabbit ATE inhalation - vapor (mg/l/4h): N.R. |
| Ethoxylated alcohols, C9-C11 | Skin Irrit. 2 (H315) Eye Dam. 1 (H318) | ATE oral (mg/kg): N.R. ATE dermal (mg/kg): N.R. ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R. |
| Isopropyl alcohol | Flam. Liq. 2 (H225) Eye Irrit. 2A (H319) STOT SE 3 NE (H336) | ATE oral (mg/kg): 5840 mg/kg (Rat) ATE dermal (mg/kg): 13,900 mg/kg (Rabbit) ATE inhalation - vapor (mg/l/4h): N.R. ATE inhalation - dust/mist (mg/l/4h): N.R. |

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3. Indication of any immediate medical attention and special treatment needed Notes to physician.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use personal protection recommended in Section 8.

As in any fire, wear self-contained breathing apparatus and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3. Methods and material for containment and cleaning up

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Methods for cleaning up.

Use personal protective equipment as required.

Other information.

No Information

6.4. Reference to other sections

No Information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures.

See section 7 for more information.

7.2. Conditions for safe storage, including any incompatibilities Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Specific use(s).

No Information

Exposure scenario.

No Information Available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limit Values

| Chemical Name | Austria | Belgium | Denmark | European Union. | Finland | France |
|---|--|---|--|--|--|--|
| ETHANOL, 2- AMINO- 141-43-5 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 |
| Ethoxylated alcohols, C9-C11 68439-46-3 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Isopropyl alcohol 67-63-0 | STEL: 800 ppm STEL: 800 ppm STEL: 2000 mg/ m3 STEL: 2000 mg/ m3 TWA: 200 ppm TWA: 500 mg/m3 | STEL: 400 ppm STEL: 1000 mg/ m3 TWA: 200 ppm TWA: 500 mg/m3 | TWA: 200 ppm TWA: 490 mg/m3 | N.D. | STEL: 250 ppm STEL: 620 mg/ m3 TWA: 200 ppm TWA: 500 mg/m3 | STEL: 400 ppm STEL: 980 mg/ m3 |
| Chemical Name | Germany | Iceland | Ireland | Italy | Luxembourg | Netherlands |
| ETHANOL, 2- AMINO- 141-43-5 | STEL: 0.2 ppm STEL: 0.51 mg/ m3 TWA: 0.2 ppm TWA: 0.51 mg/ m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 7.6 mg/m3 TWA: 2.5 mg/m3 |
| Ethoxylated alcohols, C9-C11 68439-46-3 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm STEL: 1000 mg/ m3 TWA: 200 ppm TWA: 500 mg/m3 | TWA: 200 ppm TWA: 490 mg/m3 | STEL: 400 ppm TWA: 200 ppm | N.D. | N.D. | N.D. |
| Chemical Name | Norway | Portugal | Spain | Sweden | Switzerland | United Kingdom |
| ETHANOL, 2- AMINO- 141-43-5 | STEL: 3 ppm STEL: 5 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.5 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 3 ppm STEL: 7.5 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 | STEL: 4 ppm STEL: 10 mg/m3 TWA: 2 ppm TWA: 5 mg/m3 | STEL: 3 ppm STEL: 7.6 mg/m3 TWA: 1 ppm TWA: 2.5 mg/m3 |

| Chemical Name | Norway | Portugal | Spain | Sweden | Switzerland | United Kingdom |
|---|-------------------------------|-------------------------------|---------------------------------|--------------------------------|---------------------------------|---------------------------------|
| Ethoxylated alcohols, C9-C11 68439-46-3 | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. |
| Isopropyl alcohol 67-63-0 | STEL: 150 ppm STEL: 306.25 | STEL: 400 ppm TWA: 200 ppm | STEL: 400 ppm STEL: 1000 mg/ | STEL: 250 ppm STEL: 600 mg/ | STEL: 400 ppm STEL: 1000 mg/ | STEL: 500 ppm STEL: 1250 mg/ |
| | mg/m3 TWA: 100 ppm | | m3 TWA: 200 ppm | m3 TWA: 150 ppm | m3 TWA: 200 ppm | m3 TWA: 400 ppm |
| | TWA: 245 mg/m3 | | | | | TWA: 999 mg/m3 |

TWA: Time weighted average STEL: Short term exposure limit.

Derived No Effect Level (DNEL)

No Information Available

Predicted No Effect Concentration (PNEC)

No Information Available

8.2. Exposure controls

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

No Information

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

Environmental Exposure Controls.

No Information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancetransparentColourneon yellowOdourfloral

Odour Threshold No Information

pH >11

Melting Point, °C No Information

Flash Point, °C 93 Boiling Range, °C 82 - 1.390

Combustibility Does not Support Combustion

Vapor Pressure, mmHgNo InformationVapor densityNo Information

Specific Gravity (g/cm3) 1.008

Solubility in water

Partition Coefficient, n-octanol/water

Auto-Ignition Temperature, °C

Decomposition temperature, °C

Viscosity

No Information

No Information

No Information

9.2. Other information

Volatile organic compounds (VOC) content. No Information

9.2.1. Information with regard to physical hazard classes

No Information

9.2.2. Other safety characteristics

No Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None known based on information supplied.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity.

Based on available data, the classification criteria are not met.

Product Information

The product itself has not been tested

Data on individual components are tabulated below

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-dust/mist) 30.03 mg/l

| CAS-No. | Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------|------------------------------|------------------|--------------------------|-----------------|
| 141-43-5 | ETHANOL, 2-AMINO- | 1720 mg/kg Rat | 1000 mg/kg Rabbit | N.R. |
| 68439-46-3 | Ethoxylated alcohols, C9-C11 | N.R. | N.R. | N.R. |
| 67-63-0 | Isopropyl alcohol | 5840 mg/kg (Rat) | 13,900 mg/kg(Rabbit) | N.R. |

Skin corrosion/irritation.

SKIN IRRITANT.

11.2. Information on other hazards

Endocrine disrupting properties

N.A.

Other information.

N.A.

SECTION 12: Ecological information

12.1. Toxicity

2.50% of the mixture consists of components(s) of unknown hazards to the aquatic environment **Ecotoxicity effects.**

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia. |
|--|---|---|---------------------------------------|
| ETHANOL, 2-AMINO- 141-43-5 | EC50 72 h Desmodesmus subspicatus 15 mg/L | LC50 96 h Pimephales promelas 227 mg/L, LC50 96 h Brachydanio rerio 3684 mg/L, LC50 96 h Lepomis macrochirus 300 - 1000 mg/L, LC50 96 h Oncorhynchus mykiss 114 - 196 mg/L, LC50 96 h Oncorhynchus mykiss >200 mg/L | EC50 48 h Daphnia magna 65 mg/L |
| Ethoxylated alcohols, C9-C11 68439-46-3 | N.D. | N.D. | N.D. |
| Isopropyl alcohol 67-63-0 | EC50 96 h Desmodesmus subspicatus >1000 mg/L, EC50 72 h Desmodesmus subspicatus >1000 mg/L | LC50 96 h Pimephales promelas 9640 mg/L, LC50 96 h Pimephales promelas 11130 mg/L, LC50 96 h Lepomis macrochirus >1400000 μg/L | EC50 48 h Daphnia magna 13299 mg/L |

12.2. Persistence and degradability

No data are available on the product itself

12.3. Bioaccumulative potential

Discharge into the environment must be avoided.

| CAS-No. | Chemical Name | Bio. Conc. Factor (BCF) | Octanol-water par. Coeff (KOW) |
|------------|------------------------------|-------------------------|--------------------------------|
| 141-43-5 | ETHANOL, 2-AMINO- | N.I. | -2.3 |
| 68439-46-3 | Ethoxylated alcohols, C9-C11 | N.I. | N.I. |
| 67-63-0 | Isopropyl alcohol | N.I. | 0.05 |

12.4. Mobility in soil

Mobility in soil.

No information available

12.5. Results of PBT and vPvB assessment

No data are available on the product itself

12.6. Endocrine disrupting properties

No information available

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging.

No Information

Other information.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

SECTION 14: Transport information

ADR

14.1. UN number or ID number

No Information

14.2. UN proper shipping name

Not Regulated

14.3. Transport hazard class(es) No Information

14.4. Packing group No Information

14.5. Environmental hazards

14.6. Special precautions for user

No Information

IMDG

14.1. UN number or ID numberNo Information14.2. UN proper shipping nameNot Regulated14.3. Transport hazard class(es)No Information14.4. Packing groupNo Information

14.5 Marine Pollutant No.

Environmental hazards No.

14.6. Special precautions for user No Information

14.7. Maritime transport in bulk according to

IMO instruments

No Information

IATA

14.1. UN number or ID numberNo Information14.2. UN proper shipping nameNot Regulated14.3. Transport hazard class(es)No Information14.4. Packing groupNo Information

14.5. Environmental hazards No.

14.6. Special precautions for user No Information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

3

National regulatory information.

Germany WGK Classification

French table of occupational diseases

| CAS-No. | Chemical Name | French table of occupational diseases |
|---------|-------------------|---------------------------------------|
| 67-63-0 | Isopropyl alcohol | RG 84 |

European Union.

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Persistent Organic Pollutants

Not applicable

Authorizations and/or restrictions on use:

| CAS-No. | | Substance subject to authorization per REACH Annex XIV | Restricted substance per REACH Annex XVII |
|----------|-------------------|--|--|
| 141-43-5 | ETHANOL, 2-AMINO- | No. | Yes. |
| 67-63-0 | Isopropyl alcohol | No. | Yes. |

EU Substances of Very High Concern

None

International Inventories.

TSCA DSL EINECS/ELINCS ENCS IECSC KECI PICCS AIIC NZIOC -

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.
 IECSC China Inventory of Existing Chemical Substances.
 KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AllC Australian Inventory of Industrial Chemicals.

NZIoC New Zealand Inventory of Chemicals.

15.2. Chemical safety assessment

No.

SECTION 16: Other information

Revision Date 8/29/2022

Indication of changes: Commission Regulation (EU) 2020/878: amending Annex II by introducing specific

requirements regarding nanoforms of substances, adapting to the 6th and 7th revision of the GHS, and adding requirements regarding the Unique Formula Identifier (as set by Annex VIII to Regulation (EC) 1272/2008), endocrine disrupting properties, specific concentration limits,

M-factors and acute toxicity estimates.

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H311 Toxic in contact with skin. Causes severe skin burns and eye damage. H314 H315 Causes skin irritation. Causes serious eve damage. H318 H319 Causes serious eye irritation. Harmful if inhaled. H332 H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

Legend.

| N.D. | No data available. |
|------|---------------------------|
| N.I. | No information available. |
| N.A. | Not Applicable. |
| N.R. | Not relevant. |

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.